rug-b Ruby Rätsel

8. Mai 2014

How to immediately get a keypress event:

STDIN.getch

How to immediately get a keypress event:

STDIN.getch

What to require?

How to immediately get a keypress event:

require 'io/console'
STDIN.getch

There is a special global variable in Ruby:

\$\

There is a special global variable in Ruby:

\$\

How is it called?

There is a special global variable in Ruby:

```
$\
$OUTPUT_RECORD_SEPARATOR
```

Its value is appended to print calls:

```
$\ = "!!!"
print "something" # something!!!
```

```
"rug-b".____("-")
#=> ["rug", "-", "b"]
```

```
"rug-b".partition("-")
#=> ["rug", "-", "b"]
```

Ruby 2.1 introduced new methods in core classes.

Ruby 2.1 introduced new methods in core classes.

Which instance method is new for Array?

Ruby 2.1 introduced new methods in core classes.

Which instance method is new for Array?

```
[["rug", "b"]].to_h #=> {"rug" => "b"}
```

Which one of the following expressions is treated in a special way by the Ruby interpreter:

- a) SCRIPT_LINES_b) __SCRIPT_LINES c) _SCRIPT_LINES_ d) __SCRIPTLINES_

Which one of the following expressions is treated in a special way by the Ruby interpreter:

a) SCRIPT_LINES__
b)
c)
d)

When initialized to a hash, it will store the source of all required files